



Zebra MS4717 Fixed Mount Imager

All-In-One Kiosk Barcode Scanning Solution

From the food ordering kiosk in the quick-serve restaurant, to the ticketing kiosk at the airport or amusement park, you need a reliable device that can be mounted easily into your kiosk with little effort. The MS4717 has a small footprint that can be integrated into a wide variety of enclosures from multiple sides enabling ease of installation. Featuring Zebra's exclusive PRZM Intelligent Imaging technology, the MS4717 can instantly capture virtually any 1D or 2D barcode providing flexibility for a wide range of applications. Enjoy award-winning data capture technology, ease of integration, high reliability and superior performance with the MS4717 Fixed Mount Imager.



Aggressive Presentation Mode Performance

The MS4717 features Zebra's exclusive PRZM Intelligent Imaging technology for unparalleled presentation scanning performance on virtually any 1D & 2D barcode, including dense, poorly printed, damaged, crinkled, faded, distorted, low-contrast, and glossy printed barcodes, as well as barcodes on plastic ID cards or from mobile phone displays. With the popularity of mobile phone applications increasing, electronic versions of tickets, boarding passes, and loyalty cards are now easily scanned with MS4717 providing a high level of customer convenience. With the bright, rectangular illumination field and the LED aiming dot, users will instantly know if they are aiming at the right spot for exceptional ease of use. Options for either software trigger or presentation mode scanning provide the flexibility for a wide variety of applications.

Designed for Easy Integration

The MS4717 is an all-in-one scanning solution that features a small footprint and mounting hole locations on five sides, so it can easily be positioned to fit into tight locations to accommodate the design of your enclosure. It also includes a Micro USB connector that supports standard off-the-shelf cables to match your design requirements. Multiple cable routing options on the MS4717 helps to minimize cable clutter for a clean overall installation within your enclosure. The MS4717 comes out of the box with all the product approvals and certifications needed to minimize design cycles and regulatory approval cycles. Integration into your product design is easy — no optical, mechanical or electrical engineering required.

Built-to-Last Durable Design

With your installations likely spread out across many locations, it is important that your fixed mount imager is made to last with a durable design for maximum uptime. The MS4717 features a Gorilla® Glass exit window for outstanding scratch resistance, and its IP54 sealing specification is suitable for outdoor applications such as at the gate admissions turnstile at the local sports arena to uncovered parking access gates. The MS4717 also has a rating of multiple 5ft/1.5m drops to concrete to protect it in the unlikely event of a drop during a routine service or field installation of your enclosure. For added reliability, a secure USB cable locking clip is included to prevent it from coming loose or disconnecting.

CONSULTING DISTRIBUTOR



POHL

POHL Electronic GmbH
 Eduard-Maurel-Straße 11a • 16761 Hennigsdorf
 Tel. +49 3302 81893-0 • Fax +49 3302 81893-99
 www.pohl-electronic.de • info@pohl-electronic.de



Put the Zebra MS4717 to work in your organization today.

For more information, visit www.zebra.com/ms4717

PRODUCT SPEC SHEET

ZEBRA MS4717 FIXED MOUNT IMAGER

Proven Technology You Can Count On

When you choose the MS4717 you get the peace of mind that comes from choosing superior, well-tested technology. Every day, all around the world, our OEM products power millions of devices in thousands of applications across industries. When you choose Zebra, you get an industry leading partner that has been helping OEMs successfully implement enterprise-class barcode scanning for over 40 years. We know what you need and we provide it – from packaged reference designs and integration documents to a dedicated OEM global sales and support team ready to deliver unsurpassed service – from the moment you place your order to the moment you deliver your products.

Zebra Technologies is a leading provider of mission-critical communication products and services for enterprise and government customers. From component scan engine technology that easily integrates into your design to private labeled wireless and mobile computing solutions with your specifications and brand logo, our OEM portfolio lets you deliver solutions your customers can count on, while reducing your costs and time-to-market.

The Industry's Simplest Configuration Wizard

123Scan is Zebra's patented complementary software tool, offering a wizard-driven interface that simplifies every step of deployment, from configuration to firmware updates and staging large numbers of devices. Everyone's a wizard at configuring and programming with 123scan, an industry first, 123scan automatically detects and programs the MS4717 Fixed Mount Imager without scanning a barcode or wiping clean your existing settings.

Whether you need to deploy a single scanner or a multitude of scanners, 123scan makes it faster and easier. With 123scan's Mass Upgrade Mode, you can simultaneously batch stage devices in groups up to 10 scanners by simply adding one or more USB hubs

Powerful and amazingly simple, 123scan streamlines all your scanner set-up and maintenance needs. Download parameters, update firmware, view statistics, generate Microsoft Word-friendly reports and validate setup by displaying data.

Easy Application Development

Get everything you need to easily integrate scanning into your business applications with our Scanner Software Development Kits (SDKs) for Windows, Android, iOS and Linux. These SDKs provide documentation, drivers, test utilities and sample source code.

Programmatically control your scanner to handle any business need. Set the beeper or LED feedback mechanisms to confirm accurate scanning. Configure scanners to capture images and only those symbologies you want. Minimize downtime with visibility into critical data and simplify management with remote tools that let you upgrade firmware and query asset information.

MS4717 Specifications

Physical Characteristics	
Dimensions	1.10 in. H x 1.89 in. L x 2.17 in. W (2.8 cm H x 4.8 cm L x 5.5 cm W)
Weight	4.13 oz / 117 g
Power	Maximum: 5 VDC +/- 10% @ 480 mA
User Environment	
Operating Temp.	-4° to 122° F / -20° to 50° C*
Storage Temp.	-40° to 158° F / -40° to 70° C
Humidity	Operating: 95% RH, non-condensing at 50°C Storage: 85% RH, non-condensing at 70°C
Sealing	IP54
Drop Specification	Designed to withstand multiple drops at 5.0 ft./1.5 m to concrete
Performance Characteristics	
Image Sensor	1280 x 800 pixels
Imager Field of View	42° H x 28° V Nominal
Light Source	Aiming Pattern: Circular 610nm Amber LED
Minimum Print Contrast	20% minimum reflective difference
Symbology Decode Capability	
1D	All major 1-D bar codes
2D	PDF417, DataMatrix, QR Code, Aztec, Composite Codes and MaxiCode
Postal	US Postnet, US Planet, UK Postal, Australian Postal, Japan Postal, Postal Codes
Ambient Light	0 to 9,000 Foot Candles / 0 to 96,900 Lux
Image File Formats	BMP, TIFF, JPG
Interfaces	
Supported Host Interfaces	USB - USB (full speed)

Regulatory	
Product Safety	IEC/EN 62368-1, IEC/EN 60950-1, UL/cUL
Laser Classification	LED / Classified as Exempt Risk Group per IEC/EN 62471
EMI/RFI	FCC Part 15 Class B, ICES-003 Class B, CISPR22 Class B, EN 55024, EN 55032, 47 CFR Part 15, Subpart B Class B, ICES-003 Issue 5 Class B, IEC 60601-1-2 Medical Electrical Equipment
Environmental	RoHS compliant
Decode Ranges	
Code 39: 4 mil	3.1in / 7.8cm (Near) 8.6in / 21.8cm (Far)
Code 128: 5 mil	2.6in / 20.2cm (Near) 8.0in / 20.3cm (Far)v
Code 39: 5 mil	1.8in / 4.5cm (Near) 13.3in / 33.7cm (Far)
PDF417: 5 mil	2.9in / 7.3cm (Near) 8.2in / 20.8cm (Far)
Datamatrix: 10 mil	2.7in / 6.8cm (Near) 9.9in / 25.1cm (Far)
UPC: 13 mil (100%)	1.6in / 4.0cm (Near) 25.8in / 65.5cm (Far)
Code 39: 20 mil	1.8in / 4.5cm (Near) 29.8in / 75.6cm (Far)
QR Code: 20 mil	3.0in/7.6cm (Near) 15.6in/39.6cm (Far)
* Field of View limited	
Warranty	
Subject to the terms of Zebra's hardware warranty statement, the MS4717 is warranted against defects in workmanship and materials for a period of 15 months from the date of shipment. For the complete Zebra hardware product warranty statement, go to: http://www.zebra.com/warranty	

Markets and Applications

OEM

Integrate into a broad range of devices, from self-service kiosks to medical equipment including:

- Financial service Kiosks
- ATM's
- Restaurant Kiosks
- Wayfinding Kiosks
- Security Kiosks
- Gate Admission Turnstiles
- Airline check in
- Smart lockers
- Ticket checkers
- E-voting machines
- Access control Kiosks

Features

Zebra-Exclusive PRZM Intelligent Imaging technology
Aggressively scans barcodes from many surfaces including paper, plastic and mobile phone displays

USB Certified
Ensures reliability when connected to most host USB ports

Medical Equipment Rated
Enables faster integration into your medical equipment with certification IEC 60601-1-2

PRODUCT SPEC SHEET

ZEBRA MS4717 FIXED MOUNT IMAGER

CONSULTING DISTRIBUTOR



POHL Electronic GmbH
Eduard-Maurer-Straße 11a • 16761 Hennigsdorf
Tel. +49 3302 81893-0 • Fax +49 3302 81893-99
www.pohl-electronic.de • info@pohl-electronic.de



NA and Corporate Headquarters
+1 800 423 0442
inquiry4@zebra.com

Asia-Pacific Headquarters
+65 6858 0722
contact.apac@zebra.com

EMEA Headquarters
zebra.com/locations
contact.emea@zebra.com

Latin America Headquarters
+1 847 955 2283
la.contactme@zebra.com